


Fig. 1

	⊟- 🛢 Cristomers
☐ ■ Customers	☐— S Country (3)
— ₩ Country	⊕ • Canada
State Province	— • Mexico (3)
Se City	- USA (3)
⊟- S Name	. CA (12)
E Gender	— • CA (12) — • OR (3)
— ■ Marital Status	Ð • WA (12)
🖹 Education	
E Yearly Income	State Province (32)
i cary mount	E-≦Cv (3)
	⊕- <b>⊊</b> Name (3)
Fig. 2	- • Ricardo
117.	_ • Sylvie
	• Thierry



Document contains one or more reports.

Fig. 4

☐ ☐ Report1
田 Page Header 田 Section 1
🛱 🖸 Section 1 🤏
⊞-S Section 2
🖽 Section 3 🎜
Page Footer


Section at the same level

Fig. 5	5
--------	---


⊟- 🖹 Report1	
—⊞ Page Header	
Section 1	7
☐ Section 1.1	>
丑-S Section 1.2	J
⊞_S Section 2	
Section 3	
Page Footer	

Nested section

Fig. 6



Inter- action with RE	. oʻ
Reaction – Dropping Values For more information on filters, see Filters & Rank specification	Inserts dimension or detail objects (one section for each different associated object of values dropped) with filter as sections, which begins before the block and ends after the block. In the case of dropping multiple objects, the second section will begin immediately after the first section and end immediately before the end of the first section. See adding section when section already exists.
Reaction – Dropping Objects	Inserts dimension or detail objects (one section for each object dropped) as sections, which begins before the block and ends after the block. In the case of dropping multiple objects, the second section will begin immediately after the first section and end immediately before the end of the first section. See adding section when section already exists.
GUI Action	When dragging dimension or detail objects or values to the section zone with no existing sections but with an existing block, a line appears to denote where the start of the section will be (note: users cannot drop measures to this zone). Instead of the object icon, a pop up help saying, "Drop here to create a section" should be displayed.
Creating sections Document Mode	Sincture Mode
Action	Dragging & dropping dimension or detail objects or values to the section zone with no existing sections but with an existing block (note: users cannot drop measures to this zone)






Fig 9

Action None	Result [T] [T2]
2) DrD level <country></country>	Section (Country)  [COUNTRY]  [T]  [TZ 00  end Section (Country)
3) D-D member <usa7< td=""><td>Section (country)  [COUNTRY ]  [T] [T]  end Section (country)</td></usa7<>	Section (country)  [COUNTRY ]  [T] [T]  end Section (country)
4) D+D level STATE 7	Section (country)  [COUNTRY   T]  - [T] [T]

Fig 10A

Eg All available con	tamanananan tamanananananananananananananananananana
Finad Resort W New Filter	Service ·
P) Sel Customers	Country and Revenue
6-3d Measures	Block##

Fig. 10B

ilter name: STATI		
Object to filter  SALES REV:  Choose an expression: Constant Cyalues Prompt Top(n)/Bottom(n)	Keep:   Top O Bottom C  Number  O Percent  C cumulative Sum  Help  Keeps top/bottom set num	

Note: The Help section changes depending on the selection (Number, Percent, Cumulative sum).

Property	Help Text
Number	Keeps top/bottom set number of values
Percent	Keeps values until sum is the percentage of total
Cumulative sum	Keeps values until sum is the set value

Fig. 10 C




Fig. 11

Year	Sales
1999 ⊕	100
2000	150
2001	140

Fig. 12




Fig. 13